



INSTRUMENTS

PROCESS INSTRUMENTATION



Measuring your world since 1965™

PILC-0716

BIMETAL THERMOMETERS 3-5 DAYS



5 Year
Warranty



Fillable



Dials



Accuracy



Custom Logo

DIAL CUSTOMIZATION



Easy to Read in Low Light
Environments and from a Distance



Identify Areas of
Higher Danger

Differentiate
Between Two
Process Lines

Available on mechanical temperature and pressure gauges.

THERMOWELLS 1-10 DAYS



- Full Penetration Welding
- Material Traceability
- Hydrostatic Testing
- Wake Frequency



Sample
Probe



Color
Band



Custom
Logo



Color
Pie



Min/Max
Pointer

REMOTE READING THERMOMETERS



Gas



Vapor

O-TEMP™ OEM THERMOMETERS



Custom Logo

DIGITAL THERMOMETERS 5-7 DAYS



- High Accuracy 1,000Ω RTD (Class A, 0.06%)
- IP67/NEMA 4X
- 5 Year Battery Life
- Back or Bottom Connect
- Fahrenheit or Celsius
- Low Temp: -58°F to 392°F (-50°C to 200°C)
- High Temp Options Available

PRESSURE GAUGES 1-5 DAYS



Solid Front,
Blow-out Back



All Welded SS



Low Pressure



Precision Test



Differential



Commercial

DIAPHRAGM SEALS 3-5 DAYS



Threaded



Flanged



Extended
Diaphragm



Mini



Flush Face



Flow-thru



MS8 Seal Gauge

DIAPHRAGM SEAL ASSEMBLIES 5-7 DAYS



Smart Transmitters



Gauge Seals




Custom



Differential Pressure

- Features to Ensure Superior Performance and Durability
- Refurbishment or Replacement of Used Transmitters with Remote Seals.

*Order Assemblies
from the Experts
at REOTEMP*



Valve
Assemblies

ACCESSORIES



Cooling Towers Siphons Snubbers

TRANSMITTERS & SWITCHES



General Purpose



Explosion Proof



SERVICES

- NIST Traceable Calibration
- PMI Certification
- Instrument Repair

THERMOCOUPLE & RTD HEAD ASSEMBLIES 5-7 DAYS

- Large Head Selection (Explosion Proof, Corrosion Resistant, Economical, ATEX, FM, CSA, IECEx, IP65 or Greater, NEMA 4X)



FlameBlock™



Z-Temp™



TC/RTD Head Assemblies Offer a Wide Variety of Stem and Termination Options

- A transmitter can be added inside the head (HART or 4-20mA)
- LED Display Available

STEM ASSEMBLIES 5-7 DAYS



- Wide Variety of Styles and Terminations
 - Customized to Your Process or Application
- Cut-to-Length Sensors**
- Field Cuttable
 - Cut to length using tube cutter.

TRANSMITTERS



Z-Temp™



In-head



Slimline™


OTHER TC/RTD 10 DAYS



Protection Tubes



Weld Pads



Handheld Probes

DMT 5-7 DAYS



Dual Mode Thermometer

MULTIPOINT



Thermocouple or RTD

SAMPLE CLIENT LIST



CALIBRATION & CERTIFICATION SERVICES



REOTEMP uses a combination of fixed point temperature calibration cells and fluid-filled calibration equipment to perform sensor calibrations from -196°C to 1,300°C. REOTEMP also offers pressure calibrations from inches of water up to 30,000 psi. Our friendly and knowledgeable calibration technicians will ensure your sensors have the accuracy required for your application.

- Temperature and Pressure Calibration
- NIST-traceable Calibration Certificates
- 3-A Certificates and Material Traceability
- Mill Test Reports and PMI
- Hydrostatic Testing
- Repair

REOTEMP®

Headquarters 10656 Roselle St.
San Diego, CA 92121

Houston Branch 8787 West Road
Suite 140
Houston, TX 77064

Phone +1 (858) 784-0710
Fax +1 (858) 784-0720
Email sales@reotemp.com
Web reotemp.com



Distributed by:



AUSTRALIA

Address 24 Trade Park Drive
Tullamarine VIC 3043

Phone 1800 811 721

Email sales@floydinstruments.com.au

Measuring your world since 1965™

PILC-0716