



WHEEL TORQUE WRENCH SET

This 5-piece preset wheel nut torque wrench set is a companion product to the wheel torque sockets and extensions.

Each of the 5-click type torque wrenches are colour coded for easy identification to suit the given applications.

The set comes in a durable plastic protective case.

Features:

- Ratcheting 1/2" drive
- Accuracy +/- 3%
- Preset to specific torque values: 90Nm, 103Nm, 120Nm, 138Nm, 150Nm
- Colour coded for easy selection
- Automatic reset
- Meets or exceeds international standards
- Operates clockwise only
- Complete set to cover most applications



WB	Input	Output	Torque Ratio	Max Nm	Dimensions (mm)	Weight (KG)
341600	1/2"	3/4"	1:13.7	1600Nm	80.5 x 105 x 76	3.3
343500		1"	1:17	3500Nm	96.5 x 163 x 94	5.9
345500		1 1/2"	1:21	5500Nm	117 x 187 x 107	9.7

TORQUE MULTIPLIERS

Torque multipliers are designed to easily tighten and loosen fasteners that have high torque values using a torque wrench. Input torque/force is multiplied by the input ratio, to provide a higher output force.

Torque multipliers must be used with an appropriately set torque wrench to avoid overload damage. To extend the life of the torque multiplier, it is best to operate within 80% of the maximum torque output.

All WB Tools Torque Multipliers feature an anti-kickback device.



WB	Input	Output	Torque Ratio	Max Nm	Dimensions (mm)	Weight (KG)
341600	1/2"	3/4"	1:13.7	1600Nm	80.5 x 105 x 76	3.3
343500		1"	1:17	3500Nm	96.5 x 163 x 94	5.9
345500		1 1/2"	1:21	5500Nm	117 x 187 x 107	9.7

BREAK-AWAY SAFETY ADAPTOR

The adaptor is a sacrificial component of the torque multiplier and is designed to shear off to prevent damage to the multiplier.

Do not use with impact wrench.



WB	Input	Output	Torque Multiplier Application	Accuracy
311401	1/2" F x 1/2" M	1/2" x 3/4"	1500Nm	231Nm ±10%
311402		1/2" x 3/4"	2000Nm	222Nm ±10%
311403		1/2" x 3/4"	2500Nm	208Nm ±10%
311404		1/2" x 3/4"	1000Nm	303Nm ±10%